

Driver & Licensind Agency

1091 1066134018 01075 0

VEHICLE ON PLATE TRANSFER

ANDITING NEW V5 JONH CT.

KINGDOM

REGISTRATION CERTIFICATE

d keeper

e sure that the ress printed . If it is not,

Document reference number Don't share, keep it safe

2048 896 0370

de on 23 02 2021



uying this vehicle?

beware...

w to avoid being tricked into buying

a stolen vehicle's

For tips and advice go to gov.uk/checks-when-buying-a-used-car

THIS DOCUMENT IS NOT PROOF OF OWNERSHIP.

It shows who is responsible for registering and taxing the vehicle.

Registration Certificate translations

ingsbescheinigung Certificat d'immatriculation Registracijos liudijimas serimistunnistus Teastas Ckáralithe Forgalmi engedély Čertifikat ta' Reģistrazzjo Certificat de inmatricula Osvedčenie o evidencii

Data protection

enforcement bodies. We also provide data to other parties where the law allows it. For further information about how we process your data, your rights and who to contact, see our privacy notice at gov.uk/dvla/privacy-policy

Special notes (these notes cannot be removed)

NO. OF FORMER KEEPERS 1

- 1. THIS VEHICLE IS SUBJECT TO ADDITIONAL RATE OF VED UNTIL 31 08 2023 AS THE ORIGINAL LIST PRICE OF THE VEHICLE EXCEEDED £40,000. FOR MORE INFORMATION GO TO www.gov.uk/browse/driving
- 2. DECLARED NEW AT FIRST REGISTRATION.
- 3. DUPLICATE DOCUMENT.

How to fill in your V5C Registration Certificate (log book)

Tax or SORN (Statutory Off Road Notification) using the document reference number above.

Change my vehicle details

You must fill in section 1 over the page and return the whole V5C to DVI A Swansea, SA99 1BA.

For more information go to: gov.uk/ change-vehicledetails-registrationcertificate

Selling or transferring my vehicle to a new keeper (not a trader)

It's quick and simple to tell us online at: gov.uk/soldbought-vehicle

Or fill in section 2 over the page and send to DVLA. Swansea. SA99 1BA.

You must give section 6 to the new keeper.

Change my name and / or address

It's quick and simple to tell us your new address online at: gov.uk/changeaddress-v5c

Or if your name and address has changed you must fill in section 3 over the page and return the whole V5C to DVLA, Swansea, SA99 1BA.

Selling, transferring or part exchanging this vehicle to a motor trader

It's quick and simple to tell us online at: gov.uk/soldbought-vehicle

Or fill in section 4 over the page and return just that page to DVLA, Swansea, SA99 1BA.

Permanently exporting this vehicle for more than 12 months

If you or someone you're selling the vehicle to is taking it out of the country for 12 months or more, go to section 5 over the page.

For more information go to: gov.uk/ taking-vehiclesout-of-uk

New keeper O slip

Selling your vehicle: you must fill in the date of sale on section 6 over the page and give it to the new keeper.

Vehicle tax or SORN isn't passed on to someone else.

For more information go to: gov.uk/ vehicletaxrules

Official use only. Do not write in this space.

2048 896 0370 1091 / 1066134018 / 01075

17 02 22

J2 HND

the new keeper: (optional)

ISC

Official use only

3	C	nan	ae	m	y name a	nd /	or ad	dress -	Enter full	details for	all changes
medi.	The same of	Section of the			MULCULA CONTRACTOR				Litter Tun	uctails lui	all chariges

By submitting this form you are declaring that the information provided is correct.

If your personal details are wrong or have changed, you must tell us by filling in the box(es) below giving us your full name and/or address. Use black ink and CAPITALS.

If your personal details are wrong or nave crianged, you must ten us by initing it is so you.uk/change-address-v5c. Send the whole V5C to DVLA, Swansea, SA99 1BA. For more information go to: gov.uk/change-address-v5c. Registration J2 HND number Document reference number 2048 896 0370 DI OX EMILIA VANICA DI OX EMILIA VANICA MONTE MINICA MINIC Title: Mr: Mrs: Miss: Or other title or business / company name: New UK address (house number, street name, town / city): First and middle names written in full: Surname:

2048 896 0370 17 02 22 1091 / 1066134018 / 01075 42

Postcode: Contact number: (optional) Email address: (optional)

4 Selling, transferring or part exchanging this vehicle to a motor trader

9

By submitting this form you are declaring that the information provided is correct.

A motor trader can be:

Registration

motor dealer, motor auctioneer, vehicle dismantler, salvage dealer, finance and leasing company, insurance company, or car buying service.

If you want to keep the registration number you must do this before you sell or

transfer it. To tell us go to: gov.uk/keep-registration-number

J2 HND

number Document reference number

2048 896 0370

Date of sale: 01 (mandatory)

> Mileage: (optional)

You must tell us immediately if you have sold or transferred your vehicle. It's quick and simple to tell us online. If you don't receive an acknowledgment or tax refund, if applicable, go to gov.uk/contact-the-dvla as you may still be liable.

Or you can also use this form to tell us by filling in the boxes below. Use black ink and CAPITALS. Tear along the red perforated line and send the whole section to DVLA, Swansea, SA99 1BA

Give the rest of the document to the motor trader.

Name and ad	dress o	of mo	otor t	trade	er:								
		TT		T		TT	T	TT	T			7	-
													П
	-	-	_			-							_
	-	++	-	-	-	+	-	-	+	\vdash	-	-	_
									1		-		
				\Box			_		1		_		
VAT number:						Pos	stcoc	de:	Г				

Permanently exporting this vehicle for more than 12 months

By submitting this form you are declaring that the information provided is correct.

If you are taking the vehicle out of the country for 12 months or more (a permanent export) you must fill in the boxes below. Use black ink and CAPITALS. Tear along the red perforated line and send the whole section to DVLA, Swansea, SA99 1BA.

Registration number

J2 HND

Document reference number

2048 896 0370

You must keep the rest of your V5C - you will need this to register your vehicle abroad.

If you're selling the vehicle to a new keeper with a foreign address go to: gov.uk/taking-vehicles-out-of-uk

Date of export:

Which country are you exporting the vehicle to?

6 New keeper slip - must be given to the new keeper

V5C-0720

W

Do not send this slip to DVLA on its own - you won't get a V5C.

You, the new keeper, must ensure the vehicle is taxed before you drive it.

You will be fined if our records show that the vehicle is not taxed, insured or no Statutory Off Road Notification (SORN) has been made.

It's quick and simple to tax online at: gov.uk/vehicle-tax or tax at a Post Office® using this slip.

Declare the vehicle off road online at: gov.uk/make-a-sorn

Registration number

J2 HND

Document reference number (use this to tax online)

52048 896 0370

Date of sale / transfer:

52048 896 0370

17 02 22

1091 / 1066134018 / 01075

You should receive your new V5C within 4 weeks of the registered keeper giving us your details.

If you do not receive your V5C, you'll need to fill in a V62 form to apply for a new one. Send it, with this slip, to DVLA, Swansea, SA99 1DD. Make sure the date of sale/transfer box is filled in.

For more details on this vehicle go to: gov.uk/get-vehicle-information-from-dvla For data protection information go to: gov.uk/dvla/privacy-policy

Make MERCEDES-BENZ

Model CLS 63 AMG S AUTO

Colour BLACK

Engine size 5461 CC

Suspension type

PETROL CAR Tax class

5 No. of seats

> This vehicle is subject to Additional Rate of VED until 31/08/2023, as the original list price of the vehicle exceeded £40,000. For more information go to

Official use only. Do not write in this space.



Check MOT history

Help us make this service better. Give us your feedback (https://www.smartsurvey.co.uk/s/GIZZX? vrm=J2HND&make_result=MERCEDES-BENZ&model_result=CLS&mot_first_used_date=2017-09-12&vehicle_age=2676&mot_expiry_date=2025-11-

25&mot_expiry_date_days_left=320&user_satisfaction_banner=0&vehicle_data_origin=MTS&vehicle_type=LGV).

< Back

J2 HND

MERCEDES-BENZ CLS

Check another vehicle (/)

Colour

Fuel type

Date registered

Black

Petrol

12 September 2017

MOT valid until

25 November 2025

Get an MOT reminder (https://www.gov.uk/mot-reminder) by email or text.

Download test certificates (/enter-document-reference?registration=J2HND)

If you think the MOT expiry date or any of the vehicle details are wrong: <u>contact DVSA</u> (https://www.gov.uk/getting-an-mot/correcting-mot-certificate-mistakes).

Hide all sections

MOT history

Check mileage recorded at test, expiry date, and test outcome

Hide

Date tested 26 November 2024

PASS

Mileage 38,077 miles

Test location
SILVER ARROW MB
LIMITED
THE TANNERIES
UNIT 5 EAST STREET
FAREHAM
PO14 4AR

AR

Monitor and repair if necessary (advisories):

MOT test number 5685 2920 9736

Expiry date

25 November 2025

- Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Offside Front Tyre worn close to legal limit/worn on edge almost down to cords on inner edge (5.2.3 (e))
- Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- ▶ What are advisories?

Date tested 26 November 2024

FAIL

Mileage 38,076 miles

MOT test number 2380 6402 7123

Test location
SILVER ARROW MB
LIMITED
THE TANNERIES
UNIT 5 EAST STREET
FAREHAM
PO14 4AR

Repair immediately (major defects):

- Front Registration plate does not conform to the specified requirements (0.1 (d))
- Rear Registration plate does not conform to the specified requirements (0.1 (d))

Monitor and repair if necessary (advisories):

- Nearside Front Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Offside Front Tyre worn close to legal limit/worn on edge almost down to cords on inner edge (5.2.3 (e))
- Nearside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- Offside Rear Tyre worn close to legal limit/worn on edge (5.2.3 (e))
- What are defects and advisories?

Date tested 16 November 2023

PASS

Mileage 32,534 miles MOT test number 6861 8624 8421

Test location
SILVER ARROW MB
LIMITED
THE TANNERIES
UNIT 5 EAST STREET
FAREHAM
PO14 4AR

Expiry date

15 November 2024

Monitor and repair if necessary (advisories):

Nearside Front Brake pad(s) wearing thin (1.1.13 (a) (ii))

- Offside Front Brake pad(s) wearing thin (1.1.13 (a) (ii))
- Nearside Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))
- Offside Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))
- Nearside Front Brake disc worn, but not excessively (1.1.14 (a) (i))
- Offside Front Brake disc worn, but not excessively (1.1.14

 (a) (i))
- Offside Rear Brake disc worn, but not excessively (1.1.14

 (a) (i))
- Nearside Rear Brake disc worn, but not excessively (1.1.14 (a) (i))
- ▶ What are advisories?

Date tested 14 August 2023

PASS

Mileage 31,975 miles

Test location
STATION GARAGE (PARK
GATE) LIMITED
UNIT 7
PARK GATE BUSINESS
CENTRE
SOUTHAMPTON
SO31 1FQ

MOT test number 2891 3659 0762

Expiry date
13 August 2024

Monitor and repair if necessary (advisories):

- Rear Brake pad(s) wearing thin (1.1.13 (a) (ii))
- Front Brake pad(s) wearing thin (1.1.13 (a) (ii))
- What are advisories?

Date tested 17 February 2022

PASS

Mileage 24,386 miles

24,386 miles 6155 7973 9035Test location

Expiry date

TYRESHOPS & EXHAUST CENTRES UNIT 4 FULCRUM 1 SOLENT WAY FAREHAM PO15 7FE Expiry date 23 February 2023

MOT test number

Monitor and repair if necessary (advisories):

- Nearside Rear Tyre has a cut but not deep enough to reach the ply or cords (5.2.3 (d) (i))
- Offside Rear Tyre has a cut but not deep enough to reach the ply or cords (5.2.3 (d) (i))
- What are advisories?

Date tested 24 February 2021

PASS

Mileage 16,229 miles MOT test number 3963 7768 7712

Test location

R & R AUTOMOTIVE LTD

UNIT 2

122 MAIDSTONE ROAD

FOOTSCRAY DA14 5HS Expiry date

23 February 2022

Date tested 11 September 2020

PASS

Mileage 16,183 miles MOT test number 7936 7988 2625

Test location

R & R AUTOMOTIVE LTD UNIT 2

122 MAIDSTONE ROAD FOOTSCRAY DA14 5HS Expiry date

11 September 2021

Monitor and repair if necessary (advisories):

- Offside Front Tyre slightly damaged/cracking or perishing cracking (5.2.3 (d) (ii))
- Nearside Front Tyre slightly damaged/cracking or perishing cracking (5.2.3 (d) (ii))
- What are advisories?

The MOT test changed on 20 May 2018

Defects are now categorised according to their severity - dangerous, major, and minor. Find out more (https://www.gov.uk/government/news/mot-changes-20-may-2018).

Check for vehicle recalls

See if MERCEDES-BENZ CLS J2HND has outstanding recalls



No recalls found.

This information is provided by the vehicle manufacturer. If you think the recall information is wrong, contact your local MERCEDES-BENZ dealership.

1) Vehicle identification number

WDD2189752A194069

2a Registration number

26 Country of registration

J2HND

M₁

GB

Make and model

MERCEDES-BENZ CLS

S Vehicle category

4 Mileage

Mileage history

38,077 miles

32,534 miles

16.11.2023

31,975 miles

14.08.2023

24,386 miles

17.02.2022

Pass

Monitor and repair if necessary (advisories)

- Tyre worn close to legal limit/worn on edge Nearside Front [5.2.3 (e)]
- Tyre worn close to legal limit/worn on edge Offside Front (almost down to cords on inner edge) [5.2.3 (e)]
- Tyre worn close to legal limit/worn on edge Nearside Rear [5.2.3 (e)]
- Tyre worn close to legal limit/worn on edge Offside Rear [5.2.3 (e)]

TIRELLI TYRES

Driver & Vehicle

Standards

Agency

3 Date of the test

® Expiry date

26.11.2024

25.11.2025

To preserve the anniversary of the expiry date, the earliest you can present your vehicle for test is 26.10.2025.

3a Location of the test

THE TANNERIES, UNIT 5 EAST STREET, TITCHFIELD, FAREHAM, PO14 4AR

Testing organisation and inspector name

V106126 SILVER ARROW MB LIMITED P. J. COOK

MOT test number

5685 2920 9736

Check that this document is genuine by visiting www.gov.uk/check-mot-history

If any of the details are not correct, please contact DVSA by email at **enquiries@dvsa.gov.uk** or by telephone on 0300 1239000.

Receive a free annual MOT reminder by subscribing at www.gov.uk/mot-reminder or by telephone on 0300 1239000.

Ussuer signature

Page 1 of 1 VT20/2.0

1 Vehicle identification number

WDD2189752A194069

2a Registration number

26 Country of registration

J2HND

GB

Make and model

MERCEDES-BENZ CLS

Vehicle category

4 Mileage

Mileage history

M1

32,534 miles

31,975 miles

14.08.2023

Driver & Vehicle

Standards

24,386 miles

17.02.2022

16,229 miles

24.02.2021

7 Pass

Monitor and repair if necessary (advisories)

- Brake pad(s) wearing thin Nearside Front [1.1.13 (a) (ii)]
- Brake pad(s) wearing thin Offside Front [1.1.13 (a) (ii)]
- Brake pad(s) wearing thin Nearside Rear [1.1.13 (a) (ii)]
- Brake pad(s) wearing thin Offside Rear [1.1.13 (a) (ii)]
- Brake disc worn, but not excessively Nearside Front [1.1.14 (a) (i)]
- Brake disc worn, but not excessively Offside Front [1.1.14 (a) (i)]
- Brake disc worn, but not excessively Offside Rear [1.1.14 (a) (i)]
- Brake disc worn, but not excessively Nearside Rear [1.1.14 (a) (i)]

3b Date of the test

® Expiry date

16.11.2023

15.11.2024

To preserve the anniversary of the expiry date, the earliest you can present your vehicle for test is 16.10.2024.

3a Location of the test

THE TANNERIES, UNIT 5 EAST STREET, TITCHFIELD, FAREHAM, PO14 4AR

Testing organisation and inspector name

V106126 SILVER ARROW MB LIMITED P. J. COOK

MOT test number

686186248421

Check that this document is genuine by visiting www.gov.uk/check-mot-history

If any of the details are not correct, please contact DVSA by email at **enquiries@dvsa.gov.uk** or by telephone on 0300 1239000.

Receive a free annual MOT reminder by subscribing at www.gov.uk/mot-reminder or by telephone on 0300 1239000.

Issuer signature

Page 1 of 1 VT20/2.0

1) Vehicle identification number

WDD2189752A194069

Registration number

29 Country of registration

J2HND

GB

Make and model

MERCEDES-BENZ CLS

S Vehicle category

4 Mileage

Mileage history

M1 31,975 miles

24,386 miles

17.02.2022

16,229 miles

24.02.2021

16,183 miles

11.09.2020

Pass

Monitor and repair if necessary (advisories)

- Brake pad(s) wearing thin Rear [1.1.13 (a) (ii)]
- Brake pad(s) wearing thin Front [1.1.13 (a) (ii)]

3 Date of the test

® Expiry date

14.08.2023

13.08.2024

To preserve the anniversary of the expiry date, the earliest you can present your vehicle for test is 14.07.2024.

3a Location of the test

UNIT 7, PARK GATE BUSINESS CENTRE, CHANDLERS WAY, SOUTHAMPTON, SO31 1FQ

9 Testing organisation and inspector name

S002510 STATION GARAGE (PARK GATE) LIMITED J. S. MUNN

MOT test number

289136590762

Duplicate certificate issued by DVSA on 09 January 2025

Check that this document is genuine by visiting www.gov.uk/check-mot-history

If any of the details are not correct, please contact DVSA by email at **enquiries@dvsa.gov.uk** or by telephone on 0300 1239000.

Receive a free annual MOT reminder by subscribing

at www.gov.uk/mot-reminder or by telephone on 0300 1239000.





1) Vehicle identification number

WDD2189752A194069

2a Registration number

29 Country of registration

J2HND

GB

Make and model

MERCEDES-BENZ CLS

Vehicle category

4 Mileage

Mileage history

M₁

24,386 miles

16,229 miles

24.02.2021

Driver & Vehicle

16,183 miles

11.09.2020

9 Pass

Monitor and repair if necessary (advisories)

- Tyre has a cut but not deep enough to reach the ply or cords Nearside Rear [5.2.3 (d) (i)]
- Tyre has a cut but not deep enough to reach the ply or cords Offside Rear [5.2.3 (d) (i)]

3 Date of the test

® Expiry date

17.02.2022

23.02.2023

To preserve the anniversary of the expiry date, the earliest you can present your vehicle for test is 24.01.2023.

3a Location of the test

UNIT 4, FULCRUM 1 SOLENT WAY, WHITELEY, FAREHAM, PO15 7FE

Testing organisation and inspector name

V104840 TYRESHOPS & EXHAUST CENTRES T. Brown

MOT test number

6155 7973 9035

Check that this document is genuine by visiting www.gov.uk/check-mot-history

If any of the details are not correct, please contact DVSA by email at **enquiries@dvsa.gov.uk** or by telephone on 0300 1239000.

Receive a free annual MOT reminder by subscribing at www.gov.uk/mot-reminder or by telephone on 0300 1239000.

Issuer signature

Page 1 of 1 VT20/2.0

1) Vehicle identification number

WDD2189752A194069

Registration number

29 Country of registration

J2HND

GB

Make and model

MERCEDES-BENZ CLS

Vehicle category

4 Mileage

Mileage history

M1

16,229 miles

16,183 miles

11.09.2020



Pass

3b Date of the test

® Expiry date

24.02.2021

23.02.2022

To preserve the anniversary of the expiry date, the earliest you can present your vehicle for test is 24.01.2022.

3 Location of the test

UNIT 2, 122 MAIDSTONE ROAD, FOOTSCRAY, DA14 5HS

Testing organisation and inspector name

V106000 R&RAUTOMOTIVE LTD I. A. RUEPERT

MOT test number

3963 7768 7712

Duplicate certificate issued by DVSA on 09 January 2025

Check that this document is genuine by visiting www.gov.uk/check-mot-history

If any of the details are not correct, please contact DVSA by email at **enquiries@dvsa.gov.uk** or by telephone on 0300 1239000.

Receive a free annual MOT reminder by subscribing at **www.gov.uk/mot-reminder** or by telephone on 0300 1239000.



1) Vehicle identification number

WDD2189752A194069

Registration number
© Country of registration

GM67LLW GB

Make and model

MERCEDES-BENZ CLS

S Vehicle categoryMileageM14 Mileage16,183 miles



Pass

Monitor and repair if necessary (advisories)

- Tyre slightly damaged/cracking or perishing Offside Front (cracking) [5.2.3 (d) (ii)]
- Tyre slightly damaged/cracking or perishing Nearside Front (cracking) [5.2.3 (d) (ii)]
- Date of the testExpiry date11.09.202011.09.2021

To preserve the anniversary of the expiry date, the earliest you can present your vehicle for test is 12.08.2021.

3a Location of the test

UNIT 2, 122 MAIDSTONE ROAD, FOOTSCRAY, DA14 5HS

Testing organisation and inspector name

V106000 R&RAUTOMOTIVE LTD I. A. RUEPERT

MOT test number

7936 7988 2625

Duplicate certificate issued by DVSA on 09 January 2025

Check that this document is genuine by visiting www.gov.uk/check-mot-history

If any of the details are not correct, please contact DVSA by email at **enquiries@dvsa.gov.uk** or by telephone on 0300 1239000.

Receive a free annual MOT reminder by subscribing at www.gov.uk/mot-reminder or by telephone on 0300 1239000.



Invoice

Invoice No: MWI153007

CUSTOMER COPY

Invoice No:

MWI153007

Invoice Date:

27 Nov 2024

Customer Ref:

Invoice To

Job No:

2002 5

MWJ158560

Booking Date:

27 Nov 2024

.. Mileage:

0.6260

£300. 100

38090

Vehicle Information

J2HND

Make/Model: MERCEDES-BENZ CLS SHOOTING BRAKE (X218)

Body Type: Engine Size: (5461cc) Fuel Type: Manufacture:

Labour

TYRE

Labour Code

Description

Tyre Fitment

4 TYRES PIRELLI £1000 ALL IN

Quantity

TYRESHOPS (SUSPENSE VILLEGE

1.00

Products

Description		Quantity	
Tyre Disposal	ANTERNAÇIYEN ÇERMENIN	4	
PIRELLI Tyre Size: 255/35R19 96Y, Economy: A, Wet Grip: B, Noise: 69, Class: 1		1	*****************
Valve & Balance	are tiple	4	
PIRELLI Tyre Size: 255/35R19 96Y, Economy: A, Wet Grip: B, Noise: 69, Class: 1		1	**************************************
PIRELLI Tyre Size: 285/30R19 98Y, Economy: B, Wet Grip: A, Noise: 69, Class: 1	Jeau o	2	

Sub Total:

£833.34

VAT:

£166.67


Total (inc. VAT): £1000.01

Thank you for your business, please scan here to leave us a review!



Silver Arrow MB Ltd

Unit 5, The Tanneries
Fareham, HA PO14 4AR GBR
+101329845589
info@silverarrowmb.com
www.silverarrowmb.com
VAT Registration No.: 103619934





14246

26/11/2024

VAT Invoice

ODOMETER 38076 CHASSIS NO

WDD2189752A194069

REG NO.

J2 HND

INVOICE

DATE

33373	VVDD210373	2/104005	J2 H	ND	
DESCRIPTION				VAT	AMOUNT
Carry out A Service. Replace starter battery.			20.0	% S	0.00
Carry out MOT			No	VAT	0.00
Screen wash, 1 @ £3.75			20.0	% S	3.75
Oil filter, 1 @ £17,50			20,0	% S	17,50
Engine oil, 1 @ £135.91			20.0	% S	135.91
Copper washer, 1 @ £1.20			20.0	% S	1.20
Environmental disposal, 1 @ £8.00			20.0	% S	8.00
Battery, 1 @ £242.00			20.0	% S	242.00
Labour, 2 @ £85.00			20.0	% S	170.00
MOT, 1 @ £50.00			No	VAT	50.00
ADVISORIES		SUBTOTAL			628.36
Illegally spaced number plates. Front tyres wearing very low on inner edge.		VAT TOTAL			115.67
O/S/F tyre about to expose cords. Front anti roll bar drop link boots perished.		TOTAL			744.03
Rear tyres wearing inner edges, very low.		BALANCE DUE			£744.03
VAT SUMMARY					
	RATE		VAT		NET
VAT @	20%		115.67		578.36

Digital Service Report

Vehicle info			
Vehicle	AMG CLS 63 S		
First reg. date	12.09.2017		
FIN	WDD2189752A194069		
Next	11.2025		
Service	50576 mls		
The state of the s	ormation in your vehicle (owner's manual, servi	ce booklet and service interval indic	ator) on the performance of the
Service report 7			
	Silver Arrow MB Ltd	Date	26.11.2024
	5 The Tanneries East Street	Reporder-no.	12426
	Titchfield Hampshire	Mileage	38076 mls
Performed services		Replaced / renewed	
Service	Service A	Engine: oil and filter c	hange 🗹
Workshop code	Not available		
Remaining time	5 Days	Until next service	
Remaining distance	6600 mls	Mercedes-Benz Mobil	0 🗌
Oil quality/viscosity		Warr. against rusting t	hrough 🗌
Description	Engine oil	Candas Intervals In	***
Oil quality	229.52	Service-intervals in ac	
Viscosity		Mercedes-Benz AG sp Complied with	
		Additional operations	performed

Accomplished

 \checkmark

0.00						
AP00.2	20-P-1	228U	OVERVIEW for service sheet		24.10.20	19
Model	21 (C		low dust levels)			
Modific	cation	notes				
23.10.2	019	Maintenance of 3,000 km remo	peration "Rear axle: Change oil" once at ved.			
	_		Ĭ			
שו		ice A				
Ш	Serv	rice B				
A.	Plus pac	ckage				ļ
\Box	At every	service (equipment	specific)			
$ \overline{\mathcal{A}} $	Service	3 For each service		- 14		
	Service	4 every 2 years		10	0:50	À
	Service	8 every 50,000 km (3	1,000 mi)/3 years			•
	Service	8 every 75,000 km (4	6,500 mì)/4 years			
	Service	11 every 75,000 km (46,500 mi)/4 years			
	Service	11 every 250,000 km	(155,000 mi)/15 years			
	Service	12 every 75,000 km (46,500 mi)/4 years			
	Service	13 every 250,000 km	(155,000 mi)/15 years		P00.00-489	1-11
	Service	15 At every Service	В			
	Service	20 once at 50,000 km	n (31,000 mi)/3 years			
	Service	20 every 125,000 km	(77,500 mi)/5 years			
Custom	ec. N	NR DEN	Τ	Order nur	380斗G	
VIN/lice	nse pla	te number <u>W</u> 0	D2189752A194069	Current m	nileage_38076	
Service	code	Α		Workshop	o code 505	
Remain	ing dist	ance + 660	a miles	Remainin	g time + 5 DAyS	
			7.5 0040		on time/date 26 - 11 - 2024	
Service	consult	ation performed	at vehicle	Yes	No	
Notes/e	xplanati	ions				
The follo	owing a etion of	ctivities are here relevant service	by confirmed:			
Signatu	d	10		_		
Signatui	6. 2					
Α	В			nput condition	on not OK:	
Comple	eted				· ·	
\boxtimes	\boxtimes					
-	-	Se	ervice reception			_

		The reception report for service on the vehicle is available in completed form.		\circ	
			To be performed by the Service Advisor (where market-specific conditions require). Fully process all acceptance items and the maintenance items listed in the service sheet, only then is the		AP00.20-P-0009Z
		Brake system	service scope completely performed.		
Ø		Perform brake test and enter result in table.		0	
		Vehicle exterior			AP42.00-P-4290BA
		Check exterior lighting for proper operation.		0	
	_	Check function of headlamp range		\sim	AP82.10-P-8252EW
		adjustment.		\circ	
			Vehicles with xenon headlamps or dynamic LED headlamps or with the headlamp range adjuster on the exterior lights switch.		
					AP82.10-P-8250EW
		Check and correct headlamp adjustment.		0	
			The adjustment of headlamps on vehicles with level control system or XENON dynamic LED headlamps is to be invoiced as an additional		AP82.10-P-8260EW
		Vehicle interior	operation.		
		Check windshield wipers, windshield washer system and headlamp cleaning system for proper operation.		0	
		Replace activated charcoal particle filter.			AP82.30-P-8252EW
					AP83.00-P-8384EW
		Engine compartment Clean water drain.			
		Brake system: Check fluid level.		\circ	AP82.35-P-8232A
المنا	Ш	Braile Gystern. Grisch hald forei.		O	
		Check all visible parts in engine compartment for damage and fluid loss.		0	AP42.10-P-4210EW
					AP00.20-P-0055EW
		Check poly-V-belt in visible area for signs of wear.		0	
		wear.		Section 1	AP13.22-P-1352CW
		Underside of vehicle Check all visible parts of vehicle underside for damage and fluid loss.		0	
			The country-specific regulations for mobility and body shell complaints apply.		AP00.20-P-0054EW
		Check tie rod and drag link ball joints for play, check boots.		0	
					AP46.00-P-4653EW
		Check front axle joints for play, check boots		0	A DOC 00 D 0000
		Check condition of propeller shaft and flex disks.		0	AP33.20-P-3353EW
		Check tires for damage and crack formation, and enter result in table.		0	AP41.10-P-4152EW
		Tires			AP40.10-P-4051EW
		Plus package			

3		pressure in table.			\circ	
		pressure in table.		•••••		AP40.15-P-4061A
		Trunk				
<u> </u>		Plus package	-		122	
Ш	Ш	Check/correct spare wheel tire pressure an enter set tire pressure in table.	a 		O	
			Vehicles with	spare wheel.		
						AP40.15-P-4061A
	_	Check TIREFIT tire sealant.			\sim	
Ш					\circ	
			Vehicles with	TIREFIT.		
			i Enter ove	oiration date here:		AP40.10-P-4054R
				oration date nere.		
			i Replace	TIREFIT, invoice as		
			additional ope	eration.		
	П	Check first-aid kit (soft sided).			\circ	
ш	ш		•••••	•••••	\circ	
			[] Catasan	-ii data bass		AP68.00-P-6850EW
			Enter exp	piration date here:		
			i Replace f	irst aid bag, invoice as		
			an additional	operation.		
		Check trunk lighting for proper operation.			\circ	
⊻	ш	HELD SERVENDER STOREN S			<u> </u>	
		Engine compartment Plus package				
		Windshield washer system: Check/correct				
4	ш	fluid level.	•••••			
			[i]			AP82.35-P-8210EW
			i When usi	ng cleaning or summer/winter, and		
			depending on	the ambient		
			ratio.	observe the mixing		
		Vehicle interior				
_/	_	Plus package Check lamps in instrument cluster and			_	
B		interior lighting for proper operation.			\circ	
						AP54.30-P-5453EL
		Vehicle interior At every service (equipment specific)				
	_	Check ex-factory driving aids.			\circ	
ш	ш	,			\circ	
			With code 45l	P (Modification to meet disabled users - Sales		AP86.20-P-8649U
			control code)			
_	_	Replace battery for KEYLESS-GO key.				
Ш	Ш	Replace battery for RETLESS-SO key.				
		1		tion with customer.		
		Trunk	With code 88	9 (KEYLESS-GO)		
		At every service (equipment specific)				
	П	AdBlue® container: Top up fluid level.				
_	_		After conculta	tion with customer.		
				2 (BlueTEC (SCR)		AP14.40-P-1410BT
			diesel exhaus	t treatment) or with ueTEC (SCR) diesel		
			exhaust treatr			
	,	Engine compartment Service 3 For each service				
		Engine: Change oil and oil filter.				
	Ш	Englise. Onlings on and on lines.				
			Engine 157			AP18.00-P-0101EWG
			Engine 274 Engine 276			AP18.00-P-0101CWH
			Engine 278			AP18.00-P-0101CWZ AP18.00-P-0101EW
			Engine 642			AP18.00-P-0101EWO
			Engine 651			AP18 00-P-0101CWA

		Engine compartment Service 4 every 2 years			
	П	Brake system: Replace brake fluid.			
ш	ш		•••••		
-		Engine compartment			AP42.00-P-4280EW
		Service 8 every 50,000 km (31,000 mi)/3 years			
		install new air filter element.			
********			Engine 157		AP09.10-P-0980AB
		Underside of vehicle			711 00:101 0000712
		Service 8 every 50,000 km (31,000 mi)/3 years			
		Rear axle: Change oil.			
			With code 47 differential)	1 (Manual locking	AP35.00-P-3501CMG
		Engine compartment Service 8 every 75,000 km (46,500 mi)/4 years			
_	_	install new air filter element.			
ш	Ц	install new all little clement.			
			Engine 274		AP09.10-P-0980CWG
			Engine 276.8 Engine 276.9		AP09.10-P-0980E
			Engine 278		AP09.10-P-0980MM AP09.10-P-0980AB
			Engine 642		AP09.10-P-0980GZB
			Engine 651		AP09.10-P-0980EWD
		Engine compartment Service 11 every 75,000 km (46,500 mi)/4 years			
		Replace fuel filter.			
			Engine 642		AP47.20-P-0780EWO
			Engine 651		AP47.20-P-0780EWD
		Vehicle interior Service 11 every 250,000 km (155,000 mi)/15 years			
		Replace fuel filter.			
ш	Ш	Tropiase raer miler.			
			Engine 157, 2	74, 276, 278	AP47.20-P-0780EW
		Engine compartment Service 12 every 75,000 km (46,500 mi)/4 years			
	П	Replace spark plugs.			
ш	ш				
			Engine 157, 2 Engine 274	76, 278	AP15.10-P-1580EW
		Underside of vehicle	Liigiile 214		AP15.10-P-1580CWF
		Service 13 every 250,000 km (155,000 mi)/15 years			
		Replace coolant in main circuit.			
_			Engine 157. 2	74, 276, 278, 642, 651	AP20.00-P-2080EW
		Vehicle exterior		. , ,	711 20:001 2000244
		Service 15 At every Service B			
		Trailer hitch: Check condition and operation.			0
			With code 550	(Trailer hitch)	AP31.11-P-3152EW
		Underside of vehicle			
_	_	Service 20 once at 50,000 km (31,000 mi)/3 years Automatic transmission: Change oil and oil			
ᅵᅵ	ш	filter.			
			Transmission	722.931/971	AP27.00-P-2702W
		Underside of vehicle Service 20 every 125,000 km (77,500 mi)/5 years			
		Automatic transmission: Change oil and oil			
ᄓ	ш	filter.			
			Transmission 722.931/971	722.9 except	AP27.00-P-2702W
			Transmission	725.0 except code as with 4MATIC/all-	AP27.00-P-2702BC
			2		
		Automatic transmission and transfer case: Change oil and automatic transmission oil filter.			
			Automatic tran		AP27.00-P-2702BC
			transmission 7	725.0 with code M005 4MATIC/all-wheel	

Brake values

	Left	Right	
Front			
Rear			
Parking brake			

Tire condition

	Right f	ront		Left fro	ont		Right re	ar		Left rea	M	
Condition OK.	4.7	4.8	5.1	41	4.5	4.2	3.6	2.8	3.1	3.4	3.2	3.4
Condition not OK.												

Set tire pressure in bar or psi

	Front axle	Rear axle	Spare wheel
bar/psi	38 PSI	41 851	



Silver Arrow MB Ltd Mercedes Benz Independent Service Specialist The Tanneries, Unit 5 East Street, Titchfield, Fareham, Hampshire, PO14 4AR

> Tel: 01329 845589 Email: info@silverarrowmb.com Web: www.silverarrowmb.com

> > VAT Reg No: 103 6199 34

Page 1

Invoice: 12938 Date: 29/11/2023

Reference: DENT

Invoice

AMOK VAMOK VAMOK VAMO

EMINOK EXHOXE SHOXE SHOXE

Model CLS 63 AMG Chassis No WDD2189752A

Reg No. J2 HND **MOT Due**

Odometer

32643

Details	Unit Price	Net Amount	VAT Rate	VAT
Carry out B3 Service.	0.00	0.00	20.00	0.00
Screen wash	3.50	3.50	20.00	0.70
Oil filter	15.70	15.70	20.00	3.14
Engine oil £15.99 x 8.5 ltrs	135.91	135.91	20.00	27.18
Copper washer	1.20	1.20	20.00	0.24
Brake fluid	12.49	12.49	20.00	2.50
Air filter	56.20	56.20	20.00	11.24
Pollen filter	39.50	39.50	20.00	7.90
Front pads	208.00	208.00	20.00	41.60
Rear pads	202.00	202.00	20.00	40.40
Brake wear sensor £13.80 x 2	27.60	27.60	20.00	5.52
Spark plugs £11.30 x 8	90.40	90.40	20.00	18.08
Environmental disposal/PPE	8.00	8.00	20.00	1.60
Labour @ £85.00 / hr x 6.8	578.00	578.00	20.00	115.60

Total Net Amount	1,378.50
Carriage Net	0.00
Total VAT Amount	275.70
Invoice Total	1,654.20

Α	В		Input condition not OK:	\otimes	
Compl	eted				
×	\boxtimes				
-	•			•	
		Service reception			

	The reception report for service on the vehicle is available in completed form.		0	
٠		To be performed by the Service Advisor (where market-specific conditions require). Fully process all acceptance items and the maintenance items listed in the service sheet, only then is the service scope completely performed.		AP00.20-P-0009Z
	Brake system	service scope completely performed.		
×	Perform brake test and enter result in table.		0	
 	Vehicle exterior			AP42.00-P-4290BA
X	Check exterior lighting for proper operation.		0	
_	Check function of headlamp range		\circ	AP82.10-P-8252EW
X	adjustment.		O	
		Vehicles with xenon headlamps or dynamic LED headlamps or with the headlamp range adjuster on the exterior lights switch.		
_	Charle and parrent handlams adjustment		\circ	AP82.10-P-8250EW
\square	Check and correct headlamp adjustment.		\circ	
				AP82.10-P-8260EW
		The adjustment of headlamps on vehicles with level control system or XENON dynamic LED headlamps is to be invoiced as an additional operation.		
	Vehicle interior Check windshield wipers, windshield		_	
\mathbf{x}	washer system and headlamp cleaning		\circ	
	system for proper operation.			AP82.30-P-8252EW
N	Replace activated charcoal particle filter.			711 02:00 1 0202211
				AP83.00-P-8384EW
	Engine compartment			711 00:00 1 000 1211
\mathbf{k}	Clean water drain.			
				AP82.35-P-8232A
\mathbf{x}	Brake system: Check fluid level.		0	
				AP42.10-P-4210EW
\times	Check all visible parts in engine compartment for damage and fluid loss.		0	
				AP00.20-P-0055EW
\mathbf{Y}	Check poly-V-belt in visible area for signs of wear.	f	0	
	(1004) F-1700(10)			AP13.22-P-1352CW
_	Underside of vehicle Check all visible parts of vehicle underside		_	
¥	for damage and fluid loss.		O	
		The country-specific regulations for mobility and body shell complaints apply.		AP00.20-P-0054EW
×	Check tie rod and drag link ball joints for	**************************************	0	
_	play, check boots.		•	AP46.00-P-4653EW
\mathbf{x}	Check front axle joints for play, check boots		\circ	7.11.0.00 7.1000277
				AP33.20-P-3353EW
×	Check condition of propeller shaft and flex		0	
_	disks.		1000	AP41.10-P-4152EW
⅓	Check tires for damage and crack		0	The factor V
	formation, and enter result in table.			AP40.10-P-4051EW
	Tires Plus package			7.1. 10.10 1 TOOTEVV
 0				

	□x	Correct tire pressure and enter set tire pressure in table.			\circ	
	, ,	pressure in table.				AP40.15-P-4061A
		Trunk Plus package				
П	га	Check/correct spare wheel tire pressure an	d		\circ	
ш	X	enter set tire pressure in table.			\cup	
			Vehicles with	spare wheel.		AP40.15-P-4061A
						711 40.10-1 -400171
	区	Check TIREFIT tire sealant.			0	
			Vehicles with	TIREFIT.		
						AP40.10-P-4054R
			1 Enter exp	piration date here:		
			i Replace 1	TIREFIT, invoice as		
			additional ope	eration.		
П	\boxtimes	Check first-aid kit (soft sided).			\bigcirc	
_	ىت					AP68.00-P-6850EW
			i Enter exp	piration date here:		71 00.00-1 -0000244
			i postove 6			
			an additional	irst aid bag, invoice as operation.		
04-100		Check trunk lighting for proper operation.				
	×	check trunk lighting for proper operation.			O	
		Engine compartment Plus package				
		Windshield washer system: Check/correct				
ш	X	fluid level.	•••••			
			i When usi	na cleanina		AP82.35-P-8210EW
			compounds for	or summer/winter, and		
			depending on temperature,	the ambient observe the mixing		
		Vehicle interior	ratio.			
		Plus package				
	N	Check lamps in instrument cluster and			\circ	
		interior lighting for proper operation.	••••••		•	AP54.30-P-5453EL
		Vehicle interior				
		At every service (equipment specific) Check ex-factory driving aids.			\sim	
ш	N	onesh on restory entring ares.			O	
				Modification to meet lisabled users - Sales		AP86.20-P-8649U
			control code)			
	X	Replace battery for KEYLESS-GO key.				
ш	ᅜ					
				tion with customer. (KEYLESS-GO)		
		Trunk		(
		At every service (equipment specific) AdBlue® container: Top up fluid level.				
ш	N/A	resides container. Top up had level.				
				tion with customer.		
	1		diesel exhaust	2 (BlueTEC (SCR) t treatment) or with		AP14.40-P-1410BT
			code U77 (Blu exhaust treatn	eTEC (SCR) diesel		
		Engine compartment Service 3 For each service				
		Engine: Change oil and oil filter.				
Ц	ⅎ	2				
			Engine 157 Engine 274			AP18.00-P-0101EWG
			Engine 274 Engine 276			AP18.00-P-0101CWH AP18.00-P-0101CWZ
			Engine 278			AP18.00-P-0101EW
			Engine 642 Engine 651			AP18.00-P-0101EWO

	, 	Engine compartment Service 4 every 2 years Brake system: Replace brake fluid.		
		F!		AP42.00-P-4280EW
		Engine compartment Service 8 every 50,000 km (31,000 mi)/3 years		
	\square	install new air filter element.		
12000000			Engine 157	AP09.10-P-0980AB
		Underside of vehicle Service 8 every 50,000 km (31,000 mi)/3 years		
	₩	Rear axle: Change oil.		
ш	<u>~</u>		With code 471 (Manual locking	AP35.00-P-3501CMG
			differential)	AF35.00-F-330 TCINIG
		Engine compartment Service 8 every 75,000 km (46,500 mi)/4 years		
П	R	install new air filter element.		
			Engine 274	AP09.10-P-0980CWG
			Engine 276.8	AP09.10-P-0980E
			Engine 276.9 Engine 278	AP09.10-P-0980MM AP09.10-P-0980AB
			Engine 642	AP09.10-P-0980GZB
			Engine 651	AP09.10-P-0980EWD
		Engine compartment Service 11 every 75,000 km (46,500 mi)/4 years		
П	M	Replace fuel filter.		
	~_		Engine 642	AP47.20-P-0780EWO
			Engine 651	AP47.20-P-0780EWD
		Vehicle interior Service 11 every 250,000 km (155,000 mi)/15 years		
П	Mo	Replace fuel filter.		
	120		Engine 157, 274, 276, 278	AP47.20-P-0780EW
		Engine compartment		7.1 17.201 07.00217
_	-	Service 12 every 75,000 km (46,500 mi)/4 years Replace spark plugs.		
Ш	\square	Mopiaco opalii piego.		
			Engine 157, 276, 278 Engine 274	AP15.10-P-1580EW AP15.10-P-1580CWF
		Underside of vehicle		
	NO1	Service 13 every 250,000 km (155,000 mi)/15 years Replace coolant in main circuit.		
Ш	IDUE	Neplace coolan in main circuit.		
	-	Vehicle exterior	Engine 157, 274, 276, 278, 642, 651	AP20.00-P-2080EW
		Service 15 At every Service B		
	₩	Trailer hitch: Check condition and operation.		0
			With code 550 (Trailer hitch)	AP31.11-P-3152EW
		Underside of vehicle Service 20 once at 50,000 km (31,000 mi)/3 years		
П		Automatic transmission: Change oil and oil		
ш		filter.	Transmission 722.931/971	AP27.00-P-2702W
		Underside of vehicle		711 21.001 21.0211
	_	Service 20 every 125,000 km (77,500 ml)/5 years Automatic transmission: Change oil and oil		
Ш	1	filter.		
		16 V	Transmission 722.9 except 722.931/971	AP27.00-P-2702W
	1 4)()	Transmission 725.0 except code M005 (Vehicles with 4MATIC/all- wheel drive)	AP27.00-P-2702BC
	the contra		estre ann credit to Alba Article - Mil	
		Automatic transmission and transfer case: Change oil and automatic transmission oil		
		filter.	Automatic transmission -	AP27.00-P-2702BC
			transmission 725.0 with code M005 (Vehicles with 4MATIC/all-wheel drive)	,

Transfer case - transmission 725.0 with code M005 (Vehicles with 4MATIC/all-wheel drive)

Brake values

	Left	Right	
Front	406	520	
Rear	379	438	
Parking brake	354	373	

Tire condition

	Right front	Left front	Right rear	Left rear
Condition OK.	5.2 6.2 6.2	4.8 5.2 5-1	4.1 3.9 3.7	4-4 4-2 4-2
Condition not OK.				

Set tire pressure in bar or psi

	Front axle	Rear axle	Spare wheel
bar/psi	38	41	



Silver Arrow MB Ltd Mercedes Benz Independent Service Specialist The Tanneries, Unit 5 East Street, Titchfield, Fareham, Hampshire, PO14 4AR

> Tel: 01329 845589 Email: info@silverarrowmb.com

Web: www.silverarrowmb.com

VAT Reg No: 103 6199 34

Page 1

Invoice:

11285

Invo

Date: 27/09/2022 Reference: DENT

Model

CLS 63 AMG

Chassis No WDD2189752A

Reg No. J2 HND

Invoice

MOT Due

Odometer

27273

Details	Unit Price	Net Amount	VAT Rate	VAT
Carry out A Service.	0.00	0.00	20.00	0.00
Carry out gearbox oil and filter change.	0.00	0.00	20.00	0.00
Screen wash	3.50	3.50	20.00	0.70
Oil filter	15.50	15.50	20.00	3.10
Engine oil £14.99 x 8.5 ltrs	127.41	127.41	20.00	25.48
Copper washer	1.10	1.10	20.00	0.22
Gearbox oil	55.00	55.00	20.00	11.00
Gearbox filter	25.40	25.40	20.00	5.08
Gearbox seal	10.60	10.60	20.00	2.12
Gearbox bolts	10.20	10.20	20.00	2.04
Gearbox washer	1.10	1.10	20.00	0.22
Environmental disposal	8.00	8.00	20.00	1.60
Labour @ £85 / Hr x 3	255.00	255.00	20.00	51.00
ADVISE	0.00	0.00	20.00	0.00
Front & rear brake pads 60 - 70% worn.	0.00	0.00	20.00	0.00

Total Net Amount	512.81
Carriage Net	0.00
Total VAT Amount	102.56
Invoice Total	615.37

Digital Service Report

Register at Mercedes me (www.mercedes.me) and find this service report as well as the service history of your vehicle online one day after your service visit! To do so, use the security code (SecCode) at bottom right.

Veh	ıcle	info

Vehicle

AMG CLS 63 S

First reg. date

12.09.2017

FIN

WDD 218975 2A 194069

Reg. mark

GE11LEZ

Next

09.2023

Service

39773 mls

(Please note the additional information in your vehicle (owner's manual, service booklet and service interval indicator) on the performance of the next service)

Last Servicereport

Silver Arrow MB Ltd

Date

27.09.2022

5 The Tanneries East Street

Rep.-order-no.

11285

Titchfield Hampshire

Automatic transmission

Mileage

27273 mls

Performed services

Service

Service A

Workshop code

Not available

Remaining time

20 Days

Replaced / renewed

Automatic transmission: oil and

Engine: oil and filter change

filter change

Ø abla

Remaining distance Oil quality/viscosity

6915 mls

Additional operations performed

Description

Engine oil

Accomplished

 \mathbf{Z}

Viscosity

Oil quality

Description

Viscosity Oil quality

ARROW MB I MERCEDES BENZ Independant Service Specialist 01329 845589

Signature / stamp of the workshop

Service history

	MBS Southampton Ltd	Date	15.10.2021
	Hazel Road, Woolston	Mileage	21688 mls
	Southhampton, Hampshire	Service	Service B
	Beck Evans 2000 Ltd	Date	06.11.2020
	Cray Road	Mileage	16202 mls
	Sidcup	Service	Service A
Mercedes-Benz	SOCIETE BASCO LANDAISE DE VEHICULES SLAVI BAYONNE	Date	06.08.2019
	24 avenue du Maréchal Juin	Mileage	12114 mls
	BAYONNE	Service	Service B
Mercedes-Benz	SOCIETE BASCO LANDAISE DE VEHICULES SLAVI BAYONNE	Date	13.09.2018
	24 avenue du Maréchal Juin	Mileage	5876 mls
	BAYONNE	Service	Service A

Model 218

(Countries with low dust levels)

Modification notes

23.10.2	019	Maintenance operation "Rear axle: Change oil" once at 3,000 km removed.					
	Service Service Service Service Service Service Service Service Service	7 service (equipment specific) 3 For each service 4 every 2 years 8 every 50,000 km (31,000 mi)/3 years 8 every 75,000 km (46,500 mi)/4 years 11 every 75,000 km (46,500 mi)/4 years 11 every 250,000 km (155,000 mi)/15 years 12 every 75,000 km (46,500 mi)/4 years					
	Service Service	13 every 250,000 km (155,000 mi)/15 years 15 At every Service B 20 once at 50,000 km (31,000 mi)/3 years 20 every 125,000 km (77,500 mi)/5 years	RONT REAR ANTI	BRAKE BRAKE FREEZE	PADS PAPS - 37	66-70). 60-70).	P00.00-4891-11 WORN
VIN/lice	nse pla	M / Desk te number WDD Z189752A194069 505 A	Curre	ent mileage	27273	3	The file of the fi
		ance + 6400 miles				ays	
		ty. MB 279: 5					
	consult	ation performed at vehicle	Yes	pletion time/d	No No	8	
The follo	owing a	ctivities are hereby confirmed: relevant service operations					•••••
Signatu		the state of the s					
A Comple	B eted		Input con	dition not O	К:	8	
-	-					-	

Service reception

<u> </u>		The reception report for service on the vehicle is available in completed form.	To be performed by the Service Advisor (where market-	0	AP00.20-P-0009Z
			specific conditions require). Fully process all acceptance items and the maintenance items listed in the service sheet, only then is the service scope completely performed.		
d		Brake system Perform brake test and enter result in table		0	
		Vehicle exterior			AP42.00-P-4290BA
		Check exterior lighting for proper operation.		0	
		Check function of headlamp range		_	AP82.10-P-8252EW
		adjustment.	Vehicles with xenon headlamps or dynamic LED headlamps or with the headlamp range adjuster on the exterior lights switch.	O	
		Check and correct headlamp adjustment.		_	AP82.10-P-8250EW
		oneck and conect neadamp adjustment.		O	
			The adjustment of headlamps on vehicles with level control system or XENON dynamic LED headlamps is to be invoiced as an additional operation.		AP82.10-P-8260EW
		Vehicle interior Check windshield wipers, windshield washer system and headlamp cleaning system for proper operation.		0	
		Replace activated charcoal particle filter.			AP82.30-P-8252EW
	100				AP83.00-P-8384EW
Ø,		Engine compartment Clean water drain.			
d		Brake system: Check fluid level.		0	AP82.35-P-8232A
		Check all visible parts in engine compartment for damage and fluid loss.		0	AP42.10-P-4210EW
	П	Check poly-V-belt in visible area for signs of		\circ	AP00.20-P-0055EW
		wear.		0	AP13.22-P-1352CW
		Underside of vehicle Check all visible parts of vehicle underside for damage and fluid loss.		0	
			The country-specific regulations for mobility and body shell complaints apply.		AP00.20-P-0054EW
		Check tie rod and drag link ball joints for play, check boots.		0	
		Check front axle joints for play, check boots.		0	AP46.00-P-4653EW
		Check condition of propeller shaft and flex disks.		0	AP33.20-P-3353EW
		Check tires for damage and crack formation, and enter result in table.		0	AP41.10-P-4152EW
		Tires Plus package			AP40.10-P-4051EW

Ø		Correct tire pressure and enter set tire pressure in table.			0	
0.460	,	pressure in table.				AP40.15-P-4061A
		Trunk Plus package				
П	П	Check/correct spare wheel tire pressure an	nd		\circ	
_	_	enter set tire pressure in table.	Vehicles with	spare wheel.	0	
						AP40.15-P-4061A
	_	Check TIREFIT tire sealant.			\circ	
ш	Ц		Makista a salah i		O	
			Vehicles with	TIREFII.		AP40.10-P-4054R
			i Enter exp	iration date here:		
			i Replace T	TREFIT, invoice as		
			additional ope			
	П	Check first-aid kit (soft sided).			\circ	
	ш				0	AP68.00-P-6850EW
			i Enter exp	iration date here:		AT 00.00-1 -0000EVV
			i Replace fi	rst aid bag, invoice as		
e II			an additional of	operation.		
	П	Check trunk lighting for proper operation.			\circ	
كا	ᆜ					
		Engine compartment Plus package				
1		Windshield washer system: Check/correct fluid level.				
			_			AP82.35-P-8210EW
			i When usin	ng cleaning or summer/winter, and		
			depending on	the ambient		
			ratio.	observe the mixing		
		Vehicle interior Plus package				
M	П	Check lamps in instrument cluster and			\circ	
_	_	interior lighting for proper operation.			•	AP54.30-P-5453EL
		Vehicle interior At every service (equipment specific)				***************************************
	П	Check ex-factory driving aids.			\circ	
ш	П	, ,-	With code 455	(Modification to meet	O	A DOC 20 D 004011
			the needs of d	lisabled users - Sales		AP86.20-P-8649U
			control code)			
		Replace battery for KEYLESS-GO key.				
				tion with customer.		
		Trunk	With code 889	(KEYLESS-GO)		
		At every service (equipment specific)				
		AdBlue® container: Top up fluid level.				
				tion with customer.		
			diesel exhaust	2 (BlueTEC (SCR) t treatment) or with		AP14.40-P-1410BT
			code U77 (Blu exhaust treatn	eTEC (SCR) diesel nent)		
The state of the s		Engine compartment Service 3 For each service				
		Engine: Change oil and oil filter.				
ا ك	П		Engine 157			AD10 00 D 040451410
			Engine 274			AP18.00-P-0101EWG AP18.00-P-0101CWH
			Engine 276 Engine 278			AP18.00-P-0101CWZ
			Engine 278 Engine 642			AP18.00-P-0101EW AP18.00-P-0101EWO
			Engine 651			AP18 00-P-0101CWA

		Engine compartment Service 4 every 2 years Brake system: Replace brake fluid.		
		Engine compartment Service 8 every 50,000 km (31,000 mi)/3 years install new air filter element.		AP42.00-P-4280EW
	Ш		Engine 157	AP09.10-P-0980AB
		Underside of vehicle Service 8 every 50,000 km (31,000 mi)/3 years Rear axle: Change oil.		
			With code 471 (Manual locking differential)	AP35.00-P-3501CMG
		Engine compartment Service 8 every 75,000 km (46,500 mi)/4 years install new air filter element.	Engine 274	AP09.10-P-0980CWG
			Engine 276.8 Engine 276.9 Engine 278 Engine 642	AP09.10-P-0980E AP09.10-P-0980MM AP09.10-P-0980AB AP09.10-P-0980GZB
		Engine compartment	Engine 651	AP09.10-P-0980EWD
		Service 11 every 75,000 km (46,500 mi)/4 years Replace fuel filter.		
			Engine 642 Engine 651	AP47.20-P-0780EWO AP47.20-P-0780EWD
		Vehicle interior Service 11 every 250,000 km (155,000 mi)/15 years Replace fuel filter.	LAI AZ	
		Engine compartment	Engine 157, 274, 276, 278	AP47.20-P-0780EW
		Service 12 every 75,000 km (46,500 mi)/4 years Replace spark plugs.		
			Engine 157, 276, 278 Engine 274	AP15.10-P-1580EW AP15.10-P-1580CWF
		Underside of vehicle Service 13 every 250,000 km (155,000 mi)/15 years Replace coolant in main circuit.		
No.		Vehicle exterior	Engine 157, 274, 276, 278, 642, 651	AP20.00-P-2080EW
		Service 15 At every Service B Trailer hitch: Check condition and operation.	C)
		Underside of vehicle	With code 550 (Trailer hitch)	AP31.11-P-3152EW
d		Service 20 once at 50,000 km (31,000 mi)/3 years Automatic transmission: Change oil and oil filter.		
		Underside of vehicle	Transmission 722.931/971	AP27.00-P-2702W
		Service 20 every 125,000 km (77,500 mi)/5 years Automatic transmission: Change oil and oil filter.		
		00000	Transmission 722.9 except 722.931/971	AP27.00-P-2702W
			Transmission 725.0 except code M005 (Vehicles with 4MATIC/all- wheel drive)	AP27.00-P-2702BC
		Automatic transmission and transfer case: Change oil and automatic transmission oil filter.		
		Y	Automatic transmission - transmission 725.0 with code M005 (Vehicles with 4MATIC/all-wheel drive)	AP27.00-P-2702BC

Brake values

	Left	Right	
Front	60-70 1, Worn	60~70	
Rear	60-70	60-70	
Parking brake			

Tire condition

	Right front	Left front	Right rear	Left rear
Condition OK.		/	V	V
Condition not OK.				

Set tire pressure in bar or psi

	Front axle	Rear axle	Spare wheel
ber/psi	38	41	

Wichtige Fahrzeugdokumente

Bitte sorgfältig aufbewahren, jedoch nicht im Fahrzeug

Important Vehicle Documents

Please keep safely, not inside the car



		ge und extern vichtet, kombir	AND DOMESTIC OFFICE OF	- Wh/km		che Reichweite	- km
 Fahrzeu Allgem 	ig mit Ökoinn einer Code d	ovation(en) au er Ökoinnovat	isgestattet: ion(en):			Nein (N)	
	- Sudden	n von CO2-Ei - a/km		Topon de altre de la compansión de la co	ovationen - g/km	sonstige:	- g/km
	nes rzeugen mit b	esonderer Zw	eckbestimm	I SIMI PLEAS	gmin	oundings.	g/kii
		Anhang II Nun	nmer 5:				43.444.A
52. Anmerku		mentaltica e	8/88/04/04/05/05/05	± comparer o	Na State Control Control		
zu 5: min.						Man State of the S	antigratur (grand)
zu 7: min.	CONTRACTOR OF THE PROPERTY OF						
		96V XL M+S,					
CONTRACTOR	Chick of Christian Constitution and Constitution of the Constituti	G-LM-Rad / A	the control of the last was the state	An in contrast of the property of the state of the second	+S,		
Appropriate Control of the Control o		MG-LM-Rad;	Charles and the second	\$45 AND \$15 AN			
		G-LM-Rad / A					
10Jx19H2	ET47 nur AN	IG-LM-Rad; A	1 255/35 ZR	19 (96Y) X	L,		
9Jx19H2 E	ET37 nur AM	G-LM-Rad / A	2 285/30 ZR	19 (98Y) XL			
10Jx19H2	ET47 nur AN	IG-LM-Rad* F	ahrzeug mit				
Kurzstreck	kenradargerät	im Bereich 24	4 GHz gem. I	EGTG 12.7	.1.*		
	1112						
				JAPANTONING.			And oran line.
			amtliche	Vermerke			
	TON	100		ke des KBA			
HSN 1313	TSN DKA	vvs 00034	PZ O				
1010	DICA	00004	U				
00505	14050		Vermerke de	es Herstellers			

0653748521

7429094

Seite 4

537





Dei Onterzeichner	Durkilalu Ostilaus
	Hilmar Kallweit
bestätigt hiermit, dass das unten bezeichnete Fahrz	eug
0.1. Fabrikmarke (Handelsname des Herstellers):	Mercedes-Benz
0.2. Typ:	218
Variante:	G27YP0
Version:	RZCA0505
0.2.1. Handelsbezeichnung:	AMG CLS 63
0.4. Fahrzeugklasse:	M1
0.5. Name und Anschrift des Herstellers:	Daimler AG
	D-70546 Stuttgart
	Germany

0.6. Anbringungsstelle und Anbringungsart der vorgeschriebenen Schilder:

An der rechten B-Säule, geklebt (C4)

Dor Hatarraichne

Anbringungsstelle der Fahrzeug-Identifizierungsnummer:

Unter dem rechten Vordersitz (C2)

0.10. Fahrzeug-Identifizierungsnummer:

WDD2189752A194069

mit dem in der am erteilten Genehmigung 24.02.2016

e1*2007/46*0485*16

beschriebenen Typ in jeder Hinsicht übereinstimmt und zur fortwährenden Teilnahme am Straßenverkehr in Mitgliedsländern mit Linksverkehr in denen metrische Einheiten / Einheiten des englischen Maßsystems (Imperial system) für das Geschwindigkeitsmeßgerät verwendet werden, zugelassen werden kann.

(Ort)

07.10.2016


(Datum)

(Unterschrift) Leiter Sales Operations Mercedes-Benz Cars (Dienststellung)

Leiter Fahrzeugdokumentation (Dienststellung)

Allgamaina Paumarkmala			"Cdto"
Allgemeine Baumerkmale 1. Anzahl der Achsen: 2	und Räd	ler:	
3. Antriebsachsen Anzahl: 1	Lage:		Achse 2 (A1)
100 c (mail: 100 f	itige Verbindung:		-A .A.
Hauptabmessungen	ingo voibilidangi	Link andre her server	4º A02
4. Radstand:			2874 mm
4.1. Achsabstände:	1-2:	- mm 2-	-3: httm/mm.
5. Länge:	102/21/10/00		
6. Breite:			1881 mm
7. Höhe:			1433 mm
Massen		14 (4 Part)	47 A
13. Masse des fahrbereiten Fahrzeugs:			1955 Akg
13.2 Tatsächliche Masse des Fahrzeugs:			2015 kg
16. Technisch zulässige Höchstmassen		William Bayers Telephone	1.1
16.1. Technisch zulässige Gesamtmasse i	n beladenem Zust	tand:	2530 kg
16.2. Technisch zulässige maximale Mass			ЭH
1 1190		1350 kg	3 • kg
16.4. Technisch zulässige Gesamtmasse			- Kg
18. Technisch zulässige maximale Anhäng	jemasse bei Befö	rderung eines	1.7 5
18.1. Deichselanhängers:			- Kg
18.3. Zentralachsanhängers:			- kg
18.4. ungebremsten Anhängers:			- kg
19. Technisch zulässige Stützlast am Kup	olungspunkt:	100000000000000000000000000000000000000	- kg
Antriebsmaschine		***************************************	Daimler AG
20. Hersteller der Antriebsmaschine:		200724	Danner Ad
21. Baumusterbezeichnung gemäß Kennzeichnung am Motor:			157 981
22. Arbeitsverfahren:	16000100	Ere	emdzündung/4-Takt (A1)
23. Reiner Elektroantrieb:	\$155,5544		Nein (N)
		22000000000000000000000000000000000000	Nein (N)
23.1. Hybrid-(Elektro-)Fahrzeug:	13757250	\$745557434410	8 in V-Form (A2)
24. Anzahl und Anordnung der Zylinder:	Editor.		5461 cm ³
25. Hubraum:			Benzin (0001)
26. Kraftstoff:			Mono fuel (A0)
26.1. Fahrzeug mit			Morio (dei (AO)
26.2. (nur Zweistoffmotoren):		Particular and	
27. Höchstleistung	amatas):	430,00 kW	bei 5500 min ⁻¹
27.1. Höchste Nennleistung (Verbrennung		430,00 KVV	
27.2. Höchste Stundenleistung (Elektromo			- kW
27.3. Höchste Nennleistung (Elektromotor			- kW
27.4. Höchste 30-Minuten-Leistung (Elekt	romotor):	[B/B/0511895]	- kW
Höchstgeschwindigkeit		Description of	250 km/h
29. Höchstgeschwindigkeit: Achsen und Radaufhängung		250000000000000000000000000000000000000	250 Killyii
	1596 mm	2 1605 mm	3 - mm
35. Reifen-/Radkombination:	1000 11111	2 1000 11111	
Achse 1:	255/35 R19	96Y XL	9Jx19H2 ET37
Achse 2:	285/30 R19	98Y XL 1	10Jx19H2 ET47
Achse 3:			
Bremsanlage			**************************************
36. Anhänger-Bremsanschlüsse:			
Karamananan karaman k			

Aufbau			0		
38. Code des Aufbaus:				Edeblie Her	(AC)
40. Farbe des Fahrzeu	gs:				SCHWARZ ,9)
41. Anzahl und Anordn	ung der Türen:			5,2links,2red	chts,1hinten (A1)
42. Anzahl der Sitzplätz					5
42.1 Sitz(é), der (die) n				nmt ist (sind):	
42.3 Anzahl der für Rol Umweltverträglichkeit	lstuhlfahrer zug	änglichen Sitzplä	tze:	2:2	
46. Geräuschpegel St	andgeräusch:	93,00 dB(A)	bei der Motord	rehzahl	3750 min ⁻¹
	hrgeräusch:	74,00 dB(A)		CONTRACTOR OF THE PARTY OF THE	70.23 Market 1997
47. Abgasnorm:	9				Euro 6 (W)
48. Abgasemissionen:	Numme	r des Basisrechts	akts und des letzte	en gültigen Änd 715/2007*136/	
1.1. Prüfverfahren: Typ	Loder ESC		NAME AND DESCRIPTIONS	///	
CO:	HARMENE	g/km HC+NO _x :			g/km
HC:		g/km Partikel:			g/km
ox ko			strübung(ELR):		m •1
Nox:			\$80	PARTICIPALITY OF	Asakaranti
1.2. Prüfverfahren: Typ	NAMES AND POST OF PERSONS ASSOCIATED IN	Euro 6) oder vvr	1SC (EURO VI)	mg	/km
CO:	294,9 54,1			mg	
LNOX:	CITED TO COMMENT			mg	
Partikelmasse:	0,37			km	
Partikelzahl:	4,80 * 10 11				
THC:	74,2	•		der and a second	/km
NMHC:	57,2			TOTAL PROPERTY.	/km
THC+NO _x :				CONTRACTOR AND ADDRESS OF THE PARTY OF THE P	/km
NH ₃			aa liisi	. ppi	n
2.1. Prüfverfahren: ET	C			-	Partikel:
CO:	NO _x :	NMHC:	THC:	CH ₄ : g/kWh	g/kWh
g/kWh	g/kWh	g/kWh	g/kWh	g/kvvn	9/44/11
O O Death and absent W/U	TO (EURO VI)	Representation	***************************************	F275303346441511111	EL MENERAL DE L'ENTRE NE
2.2.Prüfverfahren: WH CO: NO _x :	NMHC:		CH4: NH3	Partikelmas	se: Partikelzahl:
mg/kWh mg/kWh	mg/kWh		g/kWh ppm	mg/kWh	kWh ⁻¹
48.1. Rauch (korrigiert	or Wort das Ab	somtionskoeffizie	nten):	HERE THE SHARE	- m-1
49. CO ₂ -Emissionen /					La de samenta da la compania de la compania del compania del compania de la compania del compania de la compania del compania de la compania de la compania de la compania de la compania del compania dela compania del compania del compania del compania del compania de
1. alle Antriebsarten			auon.		
CO ₂ -Emissionen		in / Diesel	Gas		sonstige
-	EXPERIE		4 x 4 x 5 x 5 x 5 x 5 x 5 x 5 x 5 x 5 x	/km	- g/km
Innerorts:		Laboration and the state of the	22.4.0000000000000000000000000000000000	/km	- g/km
Außerorts:	\$7,500 pp. 45	PART AND	Company of the Compan	/km	- g/km
Kombiniert: Gewichtet, kombinier	4.	239 g/km - g/km	400000000000000000000000000000000000000	/km	- g/km
Kraftstoffverbrauch:		zin / Diesel	Gas		sonstige
Innerorts:	14.	NAME AND ADDRESS OF THE PARTY O	- m³/100	0km	- 1/100km
Außerorts:	8.	Existing gold government and property and property of the control	- m³/100	THE PERSON NAMED IN COLUMN	- I/100km
Kombiniert:	10.		- m ³ /100	Principality 2007	- I/100km
Gewichtet, kombinie	900 House 27 C	- 1/100km	- m³/10	CARROLL STATE OF THE STATE OF T	- I/100km
activities, Romonie	***	THE PARTY OF THE P	Section of the Contract of the	CHECONOMIN TOO	THE RESIDENCE OF THE PROPERTY OF



COPY for